ಎಲ್.ಇ.ಡಿ. ಬಲ್ಬುಗಳನ್ನು ಬಳಸುವುದರಿಂದ ಶೇ. 30 ರಷ್ಟು ವಿದ್ಯುತ್ ಉಳಿತಾಯವಾಗುತ್ತದೆ.

ಇ) ಎಲ್.ಇ.ಡಿ. ಬಲ್ಬುಗಳನ್ನು ಗ್ರಾಹಕರಿಗೆ ರಿಯಾಯಿತಿ ದರದಲ್ಲಿ ವಿತರಿಸುವ ಯೋಜನೆಯನ್ನು ಜನವರಿ–2016ರಿಂದ ಜಾರಿಗೊಳಿಸಲು ಉದ್ದೇಶಿಸಿದೆ.

ಗೋದಾಮುಗಳು

5370 (5930); ಮಲ್ಲಿಕಾರ್ಜುನ ಸಿದ್ರಾಮಪ್ಪ ಖೂಬಾ (ಬಸವಕಲ್ಯಾಣ)

ಅ) ರಾಜ್ಯದಲ್ಲಿರುವ ಒಟ್ಟು ಗೋದಾಮುಗಳ ಸಂಖ್ಯೆ ಎಷ್ಟು; (ಜಿಲ್ಲಾವಾರು ಮಾಹಿತಿ ನೀಡುವುದು)

ಆ) ನಬಾರ್ಡ ಹಾಗೂ ಇತರೆ ಹಣಕಾಸು ಸಂಸ್ಥೆಗಳಿಂದ ಸಾಲ ಪಡೆದು ಗೋದಾಮುಗಳನ್ನು ನಿರ್ಮಾಣ ಮಾಡಲಾಗುತ್ತಿದೆಯೇ; ಟೆಂಡರ್ ಪ್ರಕ್ರಿಯೆ ರೂಪು ರೇಷೆಗಳನ್ನು ನೀಡುವುದು;

ಇ) ಹಾಗಿದ್ದಲ್ಲಿ, ಪ್ರತಿ 1000 ಟನ್ ಗೋದಾಮು ಕನಿಷ್ಠ ರೂ. 1.00 ಕೋಟಿಯಿಂದ ಗರಿಷ್ಟ ರೂ. 3.00 ಕೋಟಿಗಳವರೆಗೆ ಖರ್ಚು ಮಾಡಲಾಗುತ್ತಿರುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ;

ಈ) ಹಾಗಿದ್ದಲ್ಲಿ, ಕೇಂದ್ರ ಸರ್ಕಾರವು ಪ್ರತಿ 1000 ಟನ್ ಗೋದಾಮು ನಿರ್ಮಾಣಕ್ಕೆ ಕನಿಷ್ಠ ರೂ. 30.00 ಲಕ್ಷಗಳಿಂದ ಗರಿಷ್ಠ ರೂ. 50.00 ಲಕ್ಷಗಳವರೆಗೆ ಖರ್ಚು ಮಾಡುತ್ತಿರುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ;

ಉ) ಹಾಗಿದ್ದಲ್ಲಿ, ರಾಜ್ಯ ಹಾಗೂ ಕೇಂದ್ರ ಸರ್ಕಾರದ ಗೋದಾಮು ನಿರ್ಮಾಣಗಳ ಮಧ್ಯ ಭಾರಿ ಮೊತ್ತದ ವ್ಯತ್ಯಾಸವಿರುವುದಕ್ಕೆ ಕಾರಣಗಳೇನು;

ಊ) ಎಲ್ ಅಂಡ್ ಟಿ ಮತ್ತು ಇತರೆ ಪ್ರತಿಷ್ಠಿತ ಕಂಪನಿಗಳನ್ನು ಟೆಂಡರ್ ಪ್ರಕ್ರಿಯೆಯಲ್ಲಿ ಭಾಗವಹಿಸದಂತೆ ನಿಯಮಗಳನ್ನು ರೂಪಿಸಿ ಟೆಂಡರ್ ನಡೆಸಿರುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ; ಹಾಗಿದ್ದಲ್ಲಿ, ಇದಕ್ಕೆ ಕಾರಣಗಳೇನು;

ಶ್ರೀ ಹೆಚ್. ಎಸ್. ಮಹದೇವ ಪ್ರಸಾದ್ (ಮಾನ್ಯ ಸಹಕಾರ ಮತ್ತು ಸಕ್ಕರೆ ಸಚಿವರು)

ಅ) ಕರ್ನಾಟಕ ರಾಜ್ಯ ಉಗ್ರಾಣ ನಿಗಮದ ಒಟ್ಟು ಗೋದಾಮುಗಳ ಸಂಖ್ಯೆ: 467

ಕೃಷಿ ಮಾರಾಟ ಇಲಾಖೆಯ ಒಟ್ಟು ಅಂಗಡಿ ವ ಗೋದಾಮುಗಳ ಸಂಖ್ಯೆ: 5266

ಒಟ್ಟು ಗೋದಾಮುಗಳ ಸಂಖ್ಯೆ: 5733

ಜಿಲ್ಲಾವಾರು ವಿವರಗಳನ್ನು ಕ್ರಮವಾಗಿ ಅನುಬಂಧ–1 ಮತ್ತು 02ರಲ್ಲಿ ಲಗತ್ತಿಸಿದೆ.

ಆ) ಹೌದು, ನಿರ್ಮಾಣ ಮಾಡಲಾಗುತ್ತಿದೆ. ನಿಗಮಕ್ಕೆ ನಿಯಮಾವಳಿಯಂತೆ, ಅಂದಾಜು ಪಟ್ಟಿಗಳಿಗೆ ತಾಂತ್ರಿಕ ಹಾಗೂ ಆಡಳಿತಾತ್ಮಕ ಅನುಮೋದನೆ ನೀಡಿ ಕರ್ನಾಟಕ ಸಾರ್ವಜನಿಕ ಸಂಗ್ರಹಣೆಯಲ್ಲಿ ಪಾರದರ್ಶಕತೆ ಅಧಿನಿಯಮದನ್ವಯ, ಕೆ. ಡಬ್ಲ್ಯೂ–4ರ ಷರತ್ತುಗಳಂತೆ ಇ–ಪೋರ್ಟಲ್‌ನಲ್ಲಿ ಹಾಗೂ ಪತ್ರಿಕೆಗಳಲ್ಲಿ ಪ್ರಚೂರ ಪಡಿಸಿ, ಟೆಂಡರ್ ಗಳನ್ನು ಆಹ್ವಾನಿಸಿ, L1 ಗುತ್ತಿಗೆದಾರರಿಗೆ ಟೆಂಡರ್ ವಹಿಸಲಾಗಿರುತ್ತದೆ. ಟೆಂಡರ್ ಮಾಹಿತಿಯನ್ನು eproc.Karnataka.gov.in ಸಾರ್ವಜನಿಕವಾಗಿ ಪಡೆಯಬಹುದಾಗಿರುತ್ತದೆ.

ಇ) ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆ. ನಿಗಮವು ರಾಜ್ಯಾದ್ಯಂತ 75 ಕೇಂದ್ರಗಳಲ್ಲಿ 3.15 ಲಕ್ಷ ಮೆ.ಟನ್ ಸಾಮರ್ಥ್ಯದ ಉಗ್ರಾಣ ಮಳಿಗೆ ಗಳನ್ನು ನಿರ್ಮಿಸಲಾಗುತ್ತಿದ್ದು, ವೆಚ್ಚವು ಸುಮಾರು ಪ್ರತಿ 1000 ಟನ್

ಗೋದಾಮು ನಿರ್ಮಾಣಕ್ಕೆ ಸರಾಸರಿ ರೂ. 55.00 ಲಕ್ಷಗಳಿಂದ ರೂ. 61.00 ಲಕ್ಷಗಳಷ್ಟಾಗಿರುತ್ತದೆ.

ನಿಗಮವು ಆರ್ಥಿಕ ಸಂಪನ್ಮೂಲಗಳ ಕೊರತೆಯಿಂದ ಕೇವಲ ಉಗ್ರಾಣ ಮಳಿಗೆಗಳನ್ನು ನಿರ್ಮಿಸಿದ್ದು, ಯಾವುದೇ ರೀತಿಯ ಮೂಲಭೂತ ಸೌಕರ್ಯಗಳನ್ನು ಸುಮಾರು 58 ವರ್ಷಗಳಿಂದ ಒದಗಿಸಿರುವುದಿಲ್ಲ. ಇತ್ತೀಚೆಗೆ Warehousing Development Regulatory Authority (WDRA) ಮತ್ತು Food Safety and Standard Act ಜಾರಿಗೆ ಬಂದಿರುವುದರಿಂದ, ಉಗ್ರಾಣ ಮಳಿಗೆಗಳಿಗೆ ಜೊತೆಗೆ ಮೂಲಭೂತ ಸೌಕರ್ಯಗಳಾದ ಕಾಂಕ್ರೀಟ್ ರಸ್ತೆ, ಚರಂಡಿ, ಸುತ್ತುಗೋಡೆ ಇತ್ಯಾದಿ ಒದಗಿಸುವ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಂಡಿರುವುದರಿಂದ ಕೆಲವು ಕೇಂದ್ರಗಳಲ್ಲಿ ಹೆಚ್ಚುವರಿಯಾಗಿರುತ್ತದೆ.

ಈ) ಕೇಂದ್ರ ಲೋಕೋಪಯೋಗಿ ಇಲಾಖೆಯು ದರಗಳು 2007–08ನೇ ಸಾಲಿನ ದರಗಳಾಗಿದ್ದು, ಇದೇ ದರಗಳನ್ನು ಉಪಯೋಗಿಸಿಕೊಂಡು ಅಂದಾಜು ಪಟ್ಟಿಗಳನ್ನು ಸಿದ್ದಪಡಿಸಿ, ಕೇಂದ್ರ ಉಗ್ರಾಣ ನಿಗಮವು ಉಗ್ರಾಣ ಮಳಿಗೆಗಳನ್ನು ನಿರ್ಮಿಸುತ್ತಿದೆ, ಈ ದರ ಪಟ್ಟಿಯನ್ನು ಪ್ರಸ್ತುತ ಕರ್ನಾಟಕ ಲೋಕೋಪಯೋಗಿ ಇಲಾಖೆಯ 2014–15ನೇ ಸಾಲಿನ ದರಗಳಿಗೆ ಹೋಲಿಸಿದಾಗ ಅರ್ಧದಷ್ಟು ಕಡಿಮೆಯಾಗಿರುತ್ತದೆ. ಕೇಂದ್ರ ಉಗ್ರಾಣ ನಿಗಮವು ನಿರ್ಮಾಣ ಕಾಮಗಾರಿಗಳಿಗೆ ಟೆಂಡರಗಿಟ್ಟ ಮೊತ್ತಕ್ಕೆ ಶೇ. 90% ರಿಂದ 100% ವರೆಗೆ Tender premium ಹೆಚ್ಚುವರಿಯಾಗಿ ನೀಡಿ ಕಾರ್ಯಾದೇಶ ನೀಡಿರುತ್ತಾರೆ. (ಆದೇಶ ಪ್ರತಿ ಲಗತ್ತಿಸಿದೆ ಹಾಗೂ ಅನುಬಂಧ–3 ರಲ್ಲಿ ತುಲನಾತ್ಮಕ ಪಟ್ಟಿ ಲಗತ್ತಿಸಿದೆ)

ಉ) ರಾಜ್ಯ ಹಾಗೂ ಕೇಂದ್ರ ಸರ್ಕಾರವು ನಿರ್ಮಾಣ ಮಾಡುತ್ತಿರುವ ಗೋದಾಮುಗಳ ವೆಚ್ಚದಲ್ಲಿ ಯಾವುದೇ ವ್ಯತ್ಯಾಸಗಳು ಇರುವುದಿಲ್ಲ.

ಊ) ಕಂಡಿಕೆ (ಆ) ನಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಉಗ್ರಾಣ ನಿಗಮವು ಕರ್ನಾಟಕ ಸಾರ್ವಜನಿಕ ಸಂಗ್ರಹಣೆ ಅಧಿನಿಯಮದನ್ವಯ

ಹಾಗೂ ಆರ್ಥಿಕ ಇಲಾಖೆಯು ಹೊರಡಿಸಿರುವ ನಿಯಮಾವಳಿಗಳಂತೆ ಮತ್ತು ಲೋಕೋಪಯೋಗಿ ಇಲಾಖೆಯ KW–4 ಷರತ್ತುಗಳಂತೆ ಟೆಂಡರ್ ಆಹ್ವಾನಿಸಲಾಗಿರುತ್ತದೆ. ಸದರಿ ಟೆಂಡರ್ ಮಾಹಿತಿ ದಾಖಲೆಗಳನ್ನೊಳಗೊಂಡ ವಿವರಗಳನ್ನು eproc.Karnataka.gov.in ಸಾರ್ವಜನಿಕವಾಗಿ ಪಡೆಯಬಹುದಾಗಿರುತ್ತದೆ.

ಅನುಬಂಧ–1

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಉಗ್ರಾಣ ನಿಗಮವು ಹೊಂದಿರುವ ಜಿಲ್ಲಾವಾರು / ಕೇಂದ್ರವಾರು ಸಂಗ್ರಹಣಾ ಸಾಮರ್ಥ್ಯ ಮತ್ತು ಒಟ್ಟು ಮಳಿಗೆಗಳ ಸಂಖ್ಯೆ ವಿವರ

ಕ್ರ. ಸಂ.	ಜಿಲ್ಲಾ/ಕೇಂದ್ರದ ಹೆಸರು	ಸ್ವಂತ ಉಗ್ರಾಣಗಳ ಸಾಮರ್ಥ್ಯ (ಮೆ. ಟನ್)	ಉಗ್ರಾಣ ಮಳಿಗೆಗಳ ಸಂಖ್ಯೆ
1	ಮೈಸೂರು ಜಿಲ್ಲೆ		
1	ಮೈಸೂರು ಘ–1	8705	17
2	ಮೈಸೂರು ಘ–2	8000	3
3	ಮೈಸೂರು ಘ–3	38000	8
4	ಟಿ. ನರಸೀಪುರ	3000	5
5	ಹುಣಸೂರು	7000	5
6	ಬನ್ನೂರು	9500	3
7	ನಚಿಜನಗೂಡು	3602	1
	ಒಟ್ಟು	77807	42
2	ಚಾಮರಾಜನಗರ ಜಿಲ್ಲೆ		

8	ಚಾಮರಾಜನಗರ ಘ–1	4000	3
9	ಚಾಮರಾಜನಗರ ಘ–2	25000	5
10	ಕೊಳ್ಳೆಗಾಲ	3000	3
	ಒಟ್ಟು	32000	11
3	ಹಾಸನ ಜಿಲ್ಲೆ		
11	ಹಾಸನ ಘ–1	18173	9
12	ಹಾಸನ ಘ–2	24000	5
13	ಅರಸೀಕೆರೆ	3500	7
14	ಹೊಳೆನರಸೀಪುರ	4500	3
	ಒಟ್ಟು	**50173**	**24**
4	ಮಂಡ್ಯ ಜಿಲ್ಲೆ		
15	ಮಂಡ್ಯ ಘ–1	18500	4
16	ಮಂಡ್ಯ ಘ–2	12000	2
17	ಕೆ. ಆರ್. ಪೇಟೆ	3000	2
18	ಮದ್ದೂರು	6000	2
19	ಕಿರುಗಾವಲು	5000	1
	ಒಟ್ಟು	**44500**	**11**
5	ಕೊಡಗು ಜಿಲ್ಲೆ		
20	ಕುಶಾಲನಗರ	6000	3
	ಒಟ್ಟು	**6000**	
6	ಬೆಂಗಳೂರು ಜಿಲ್ಲೆ		

21	ಹೊಂಗಸಂದ್ರ	2200	1
22	ವಡೇರಳ್ಳಿ	7000	2
23	ಕೊರಳೂರು	33000	6
24	ದೊಡ್ಡಬಳ್ಳಾಪುರ	5000	2
25	ದೇವನಹಳ್ಳಿ	1000	1
	ಒಟ್ಟು	**48200**	**12**
7	ರಾಮನಗರ ಜಿಲ್ಲೆ		
26	ಚನ್ನಪಟ್ಟಣ	1000	1
8	ತುಮಕೂರು ಜಿಲ್ಲೆ		
27	ತುಮಕೂರು ಘ–1	6170	7
28	ತುಮಕೂರು ಘ–2	15250	6
29	ತಿಪಟೂರು	3500	2
30	ತುರುವೇಕೆರೆ	2000	1
31	ಚಿಕ್ಕನಾಯಕನಹಳ್ಳಿ	1000	1
32	ಕುಣಗಲ್	3000	3
33	ಶಿರಾ	3500	3
	ಒಟ್ಟು	**34420**	**23**
9	ಕೋಲಾರ ಜಿಲ್ಲೆ		
34	ಬಂಗಾರಪೇಟೆ	6400	4
35	ಮುಳಬಾಗಿಲು	1500	1
	ಒಟ್ಟು	**7900**	

10	ಚಿಕ್ಕಬಳ್ಳಾಪುರ ಜಿಲ್ಲೆ		
36	ಗೌರಿಬಿದನೂರು	2000	1
37	ಚಿಂತಾಮಣಿ	4720	5
	ಒಟ್ಟು	**6720**	**6**
11	ದಾವಣಗೆರೆ ಜಿಲ್ಲೆ		
38	ದಾವಣಗೆರೆ	18459	5
39	ಹರಿಹರ	12500	6
40	ಮಲೆಬೆನ್ನೂರು	5150	2
41	ಹೊನ್ನಾಳಿ	3500	3
42	ಸಾಗರಪೇಟೆ	4000	2
43	ಮಾಯಕೊಂಡ	2000	1
	ಒಟ್ಟು	**45609**	**19**
12	ಚಿತ್ರದುರ್ಗ ಜಿಲ್ಲೆ		
44	ಚಿತ್ರದುರ್ಗ	32000	8
45	ಚಳ್ಳಕೇರೆ	5700	8
46	ಹಿರಿಯೂರು	3500	2
47	ಹೊಸದುರ್ಗ	2000	1
	ಒಟ್ಟು	**43200**	**19**
13	ಹಾವೇರಿ ಜಿಲ್ಲೆ		
48	ಹಾವೇರಿ	7300	7
49	ಹಿರೇಕೆರೂರು	10000	4

50	ರಾಣೆಬೆನ್ನೂರು ಫ–1	4000	3
51	ರಾಣೆಬೆನ್ನೂರು ಫ–2	17000	4
52	ಹಾನಗಲ್	3000	3
53	ಅಕ್ಕಿಆಲೂರು	2500	2
54	ಸವಣೂರು	2000	2
55	ಶಿಗ್ಗಾಂವ	2000	2
56	ಬ್ಯಾಡಗಿ	5000	3
	ಒಟ್ಟು	**52800**	**30**
14	ಶಿವಮೊಗ್ಗ ಜಿಲ್ಲೆ		
57	ಶಿವಮೊಗ್ಗ ಫ–1	9125	6
58	ಸಾಗರ	4500	3
59	ಭದ್ರಾವತಿ	3000	1
60	ಮಾಚೇನಹಳ್ಳಿ	15000	3
61	ಶಿಕಾರಿಪುರ	5493	3
	ಒಟ್ಟು	37118	16
15	ಚಿಕ್ಕಮಗಳೂರು ಜಿಲ್ಲೆ		
62	ಚಿಕ್ಕಮಗಳೂರು	18500	6
63	ಕಡೂರು	5000	2
64	ತರಿಕೇರೆ	2000	1
	ಒಟ್ಟು	**25500**	**9**
16	ದಕ್ಷಿಣ ಕನ್ನಡ ಜಿಲ್ಲೆ		

65	ಮಂಗಳೂರು	3000	1
	ಒಟ್ಟು	**3000**	**1**
17	ಧಾರವಾಡ ಜಿಲ್ಲೆ		
66	ಧಾರವಾಡ	7500	3
67	ಹುಬ್ಬಳ್ಳಿ	4800	7
68	ಅಮರಗೋಳ	10000	4
69	ರಾಯಪುರ	9000	2
70	ಅಣ್ಣಿಗೇರಿ	3500	3
71	ನವಲಗುಂದ	2000	2
	ಒಟ್ಟು	**36800**	**18**
18	ಬಾಗಲಕೋಟೆ ಜಿಲ್ಲೆ		
72	ಬಾಗಲಕೋಟೆ	45500	11
73	ಬಾದಾಮಿ	3000	2
74	ಕುಳಗೇರಿ ಕ್ರಾಸ್	2000	1
75	ಮುಧೋಳ	2000	2
76	ಜಮಖಂಡಿ	2500	4
77	ಹುನಗುಂದ	5500	4
	ಒಟ್ಟು	**60500**	**24**
19	ಗದಗ ಜಿಲ್ಲೆ		
78	ಗದಗ	15500	3
79	ಲಕ್ಷ್ಮೇಶ್ವರ	5000	2

80	ನರಗುಂದ	13000	6
81	ರೋಣ	4000	1
82	ಹೊಳೆಆಲೂರು	1500	1
83	ಮುಂಡರಗಿ	3000	2
84	ಗಜೇಂದ್ರಗಡ	1000	1
	ಒಟ್ಟು	**43000**	**16**
20	ಬೆಳಗಾಂ ಜಿಲ್ಲೆ		
85	ಬೆಳಗಾಂ	10000	1
86	ಗೋಕಾಕ್	3000	2
87	ಅಥಣಿ	2400	4
88	ಕುಡಚಿ	1000	2
89	ಸಂಕೇಶ್ವರ	3000	2
90	ರಾಮದುರ್ಗ	6900	3
91	ಬೈಲಹೊಂಗಲ	3000	2
92	ಸುರೇಬಾನ್	1500	1
	ಒಟ್ಟು	**30800**	**17**
21	ಉತ್ತರ ಕನ್ನಡ ಜಿಲ್ಲೆ		
93	ಕಾರವಾರ	5000	1
94	ಶಿರಸಿ	1000	1
95	ಹಳಿಯಾಳ	1000	1
	ಒಟ್ಟು	**7000**	**3**

22	ಗುಲ್ಬರ್ಗ ಜಿಲ್ಲೆ		
96	ಗುಲ್ಬರ್ಗ ಫ–1	10600	4
97	ಗುಲ್ಬರ್ಗ ಫ–2	36000	6
98	ಶಹಬಾದ್	1000	2
99	ಜೇವರ್ಗಿ	5900	3
100	ಚಿತ್ತಾಪುರ	4500	2
101	ಚಿಂಚೋಳಿ	4000	2
	ಒಟ್ಟು	**62000**	**19**
23	ಯಾದಗಿರಿ ಜಿಲ್ಲೆ		
102	ಯಾದಗಿರಿ	3960	3
103	ಶೋರಾಪುರ	9000	4
104	ಶಹಾಪುರ	5000	1
105	ಕೆಂಭಾವಿ	7000	4
106	ಹುಣಸಗಿ	3000	2
	ಒಟ್ಟು	**27960**	**14**
24	ಬೀದರ್ ಜಿಲ್ಲೆ		
107	ಬೀದರ್	25500	5
108	ಔರಾದ್	3000	2
109	ಬಾಲ್ಕಿ	5000	3
	ಒಟ್ಟು	**33500**	**10**
25	ವಿಜಯಪುರ ಜಿಲ್ಲೆ		

110	ವಿಜಯಪುರ ಘ–1	5600	6
111	ವಿಜಯಪುರ ಘ–2	17600	4
112	ವಿಜಯಪುರ ಘ–3	30000	3
113	ಇಂಡಿ	2000	3
114	ಸಿಂದಗಿ	1000	1
115	ಮುದ್ದೇಬಿಹಾಳ	3000	1
	ಒಟ್ಟು	**59200**	**18**
26	ರಾಯಚೂರು ಜಿಲ್ಲೆ		
116	ರಾಯಚೂರು ಘ–1	23280	16
117	ರಾಯಚೂರು ಘ–2	19725	9
118	ಮಾನ್ವಿ	10800	3
119	ಲಿಂಗಸುಗೂರು	3500	3
120	ಮಸ್ಕಿ	2000	1
121	ಸಿಂಧನೂರು	33020	14
	ಒಟ್ಟು	**92325**	**46**
27	ಕೊಪ್ಪಳ ಜಿಲ್ಲೆ		
122	ಕೊಪ್ಪಳ	5000	4
123	ಗಂಗಾವತಿ	18080	9
124	ಕಾರಟಗಿ	2200	4
125	ಕುಷ್ಟಗಿ	5500	2
126	ಕುಕನೂರು	3800	4

	ಒಟ್ಟು	**34580**	**23**
28	ಬಳ್ಳಾರಿ ಜಿಲ್ಲೆ		
127	ಬಳ್ಳಾರಿ ಘ–1	13900	3
128	ಬಳ್ಳಾರಿ ಘ–2	8300	7
129	ಹೊಸಪೇಟೆ	21225	6
130	ಹಗರಿಬೊಮ್ಮನಹಳ್ಳಿ	2500	2
131	ಸಿರಗುಪ್ಪ	8000	3
132	ಕಂಪ್ಲಿ	12000	5
133	ಹೂವಿನಹಡಗಲಿ	1000	1
	ಒಟ್ಟು	**66925**	**27**
	ಒಟ್ಟಾರೆ	**1070537**	**467**

ಅನುಬಂಧ–2

ಕೃಷಿ ಮಾರಾಟ ಇಲಾಖೆಯಲ್ಲಿನ ರಾಜ್ಯದಲ್ಲಿರುವ ಕೃಷಿ ಉತ್ಪನ್ನ ಮಾರುಕಟ್ಟೆ ಸಮಿತಿಗಳಲ್ಲಿ ನಿರ್ಮಿಸಿರುವ ಜಿಲ್ಲಾವಾರು ಗೋದಾಮುಗಳ ಸಂಖ್ಯೆಯ ವಿವರಗಳು:

ಸಂಖ್ಯೆ	ಜಿಲ್ಲೆಯ ಹೆಸರು	ಗೋದಾಮುಗಳ /ಅಂಗಡಿ ವ–ಗೋದಾಮುಗಳ ಸಂಖ್ಯೆ
1	ಧಾರವಾಡ	205
2	ವಿಜಯಪುರ	62
3	ದಾವಣಗೆರೆ	153

4	ರಾಯಚೂರು	124
5	ಗದಗ	301
6	ಬಾಗಲಕೋಟೆ	11
7	ಹಾವೇರಿ	105
8	ಬೀದರ್	27
9	ಚಿತ್ರದುರ್ಗ	405
10	ಮೈಸೂರು	360
11	ಶಿವಮೊಗ್ಗ	199
12	ಬೆಳಗಾವಿ	557
13	ಚಾಮರಾಜನಗರ	79
14	ಕೊಪ್ಪಳ	195
15	ಬೆಂಗಳೂರು ನಗರ	660
16	ಕೋಲಾರ	09
17	ಕೊಡಗು	78
18	ಉತ್ತರ ಕನ್ನಡ	209
19	ಬಳ್ಳಾರಿ	84
20	ಕಲಬುರಗಿ	29
21	ಚಿಕ್ಕಮಗಳೂರು	123
22	ತುಮಕೂರು	487

23	ಯಾದಗಿರಿ	05
24	ಬೆಂಗಳೂರು (ಗ್ರಾ)	11
25	ಮಂಡ್ಯ	191
26	ಚಿಕ್ಕಬಳ್ಳಾಪುರ	37
27	ಹಾಸನ	87
28	ದಕ್ಷಿಣ ಕನ್ನಡ	305
29	ಉಡುಪಿ	139
30	ರಾಮನಗರ	29
	ಒಟ್ಟು	**5266**

Name of Work CONSTRUCTION OF 15000 MTC GODOWN WITH SELF SUPPORTED ARCH SHAPED GALVALUME ROOFING AND INTERNAL ROADS, BOUNDARY WALL ALONG WITH ELECTRICAL

Coparision of Estimate Qty of CWC to Local PWD & Market Rates

c PWD 2007-08 rate

Sl no as per CWC	Relavent Specification with PWD SR or MR	Qty as Per CWC Est	Unit	Rate as per PWD Bldg. Calcutta Basic Rates or MR	Amount	Rate as Per CWC Rate list W.B	Amount	Remarks
1	2	3	4	5	6	7	8	
1	lines and sla..tread conduits either in pits or in trenches 1.5m and above in width, in hard soil not exceeding 1.5 m. in depth including dressing the bottom and sides of pits	1662 24	Cum	245 00	407248 80	103 40	171875.62	
2	foundations upto pits h in layers not exceeding 20 cms. in depth, compacting each deposited layer by ramming after wa'ering with lead upto 50 m. and lift upto 1.5 m.	554 08	Cum	110 00	60948 80	45 70	25321 46	
3	sub soil treatment including watering ramming with all lead and lift complete as per specifi..a'ions.	118 44	Cum	1821 00	215679.24	301.50	35709 66	
4	OPC cement @ 140kgs with 40mm and down size graded granite metal coarse aggregates @0.85cum and fine aggregat s@ 0.57cum machine mixed, machine mixed	198 36	Cum	4488 00	890239 68	2449 00	485783 64	
	with OPC cement @ 160kgs, with 40mm and down size graded granite metal coarse aggregates @ 0.8cum and fine aggregates@ 0 38cum machine mixed, machine mixed,	154 15	Cum	2237 75	344949 16	2237 75	344949 16	
5	cement @ 240kgs, with 20mm and down size graded granite metal coarse aggregates @ 0.69 cum and fine aggregates @0.459cum machine mixed, concrete laid in layers	30 26	Cum	4933 00	149272 58	3579 10	108303 57	
6	upto plinth in layers not exceeding 20cms in depth, compacting each deposited layer by ramming after watering with all lead and lift including cost of all labour complete	6837 64	Cum	219 00	1497443 16	195 50	1336758 62	
7	mix M20 with OPC cement @ 320kgs, with 20mm and down size graded granite metal coarse aggregates @0.69cum and fine aggregates @ 0 460 cum, with super plasticisers	484 95	Cum	5616.00	2723479 20	3732 00	1809833 40	
8	mix M20 with OPC cement @ 320kgs, with 20mm and down size graded granite metal coarse aggregates @0.69cum and fine aggregates @ 0.460 cum, with super plasticisers	112 59	Cum	5616 00	632305 44	4092 35	460757 69	
9	mix M20 with OPC cement @ 320kgs with 20mm and down size graded granite metal coarse aggregates @0.69cum and fine aggregates @ 0 46cum, with superplasticizer	203 16	Cum	5743 00	1166747.88	4046 20	822025 99	

10	M.S flats or M.S. square rods, or combination of M.S flats and square rods as per approved design, drawing including cutting and sections and welding the same to	2417 46	kg	93 00	224823 78	45 10	109027 45	
11	mix M10 with OPC cement @ 320kgs, with 20mm and down size graded granite metal coarse aggregate @0.69cum andfine aggregate @ 0.45cum, with superplastisizer.	9 06	Cum	5816 00	52692 96	6002 80	54385 37	
12	and removal of form work for foundations, footings, bases of columns for mass concrete including cost of all materials labourcomplete as per specifications.	483 12	Sqm	219 00	105803 28	119.25	57612 06	
	and removal of form work for columns pillars post andstruts circular or curved in plan including cost of all materials labourcomplete as per specifications. Specification No.	1502.85	Sqm	238 40	358279 44	238 40	358279 44	
	and removal of form work for sides and soffits of beams,beam haunchings, cantilever girders, breastsummers and flat slabsnotexceeding 1m in depth including cost of all	2735 00	Sqm	241 00	659135 00	162 65	444847 75	
	for chajjas corbels etc. including edges including cost of all materials labour complete as pe, specifications.	49 56	Sqm	258 60	12816.22	258 60	12816 22	
	and removal of form work for vertical flat and verticalsun breakers including cost of all materials labour complete as perspecifications.	116.38	Sqm	411 00	47832 18	180 40	20994 95	
13	straightening, cutting, bending, hooking placing, in position, lapping and / or welding wherever required, tying with binding wire and anchoring to the adjoining members	79287.50	Kgs	72.55	5752308 13	42 70	3385576 25	
14	modular bricks of standard size of class designation 7.5Newton per sqcm (Machine moulded Wirecut bricks) with cement mortar 1:5 for basement and	915 47	Cum	8852 00	8103740 44	1890 03	1730265 76	
15	modular bricks of standard size of class designation 7.5Newton per sqcm (Machine moulded Wirecut bricks) with cement mortar 1:3 for basement and	1383 06	Cum	8852.00	12242847 12	2198 53	3040698 90	
16	CSRB 6 7 4 do - with bricks of class designation 5.0 Newton per sqcm	7 17	Sqm	779 00	5585 43	302.80	2171 08	
17	M.S. flats or M.S. square rods or combination of M.S. flats and square rods as per approved design, drawing including cutting steel sections and welding the same to	5627 60	kgs	93 00	523366 80	42 15	237203 34	
	M.S flats or M.S. square rods, or combinations of M.S flats and square rods as per approved design, drawing including cutting steel sections and welding the same to	2442.00	kgs	93 00	227305 00	42 15	102930 30	
18	M.S flats or M.S square rods, or combination of M.S flats and square rods as per approved design, drawing including cutting steel sections and welding the same to	771 60	kgs	93 00	71758 80	52.05	40161 78	
19	Fire bucket stand MR	18 00	each	2234 00	40212.00	2234 00	40212.00	
20	and diagonal braces of 40x40x5 mm angle iron 3 15mm thick M.S. Gusset plates at junctions and corners 25mm dia pulley,40x40x5 mm angles and T iron guide rail top	163 00	Sqm	3374 00	549962 00	2259 30	368265 90	
21	using broken granite 20mm and down size hard stone metal in one layer and finishing with a floating coat of cement , including cost of materials, labour, curing.	8520 00	Sqm	298 00	2538960 00	224 00	1908480 00	
22	Glass Strips MR	12897 00	Rmt	20 00	257940 00	18.35	236659 95	
23	Supply of Murum MR	145 00	Cum	422 00	61190 00	421 85	61168.25	

24	Laying WBM MR	1810 13	Cum	200 00	362026 00	192 55	348540 53	
25	1 5 to bri k masonry including rounding off corners wherever required smooth rendering Providing and removing scaffolding, including cost of materials, labour	9415 61	Sqm	133 00	1252276 13	67 65	636966 02	
26	mortar 1:6 to brick masonry including rounding off corners wherever required smooth rendering. Providing and removing scaffolding, including cost of materials, labour	5299 85	Sqm	148 00	932377 80	78 55	494853 22	
27	6 MM Plaster 1:3 MR	1013 94	Sqm	80 00	81115 20	62 15	63016 37	
28	of approved quality to give an even shade including cost of materials, labour, complete as per specifications with additional cost	7197 96	Sqm	11 00	79177 56	6 75	48586 23	
29	priming coat) over new steel or other metal surface brushing to give an even shade after cleaning oil, grease, dirt and other foreign matter including cost of materials,	911 40	Sqm	76 00	69266 40	35.35	32217 99	
30	63 to 45 mm metal	1354 00	Cum	768 45	1040481 30	768 45	1040481 30	
	53 to 22 4 mm stone agrega e	677 19	Cum	810 55	548896 35	810 55	548896 35	
	13 2mm	193 08	Cum	892 25	172275 63	892 25	172275 63	
	11.2 mm	145 00	Cum	979 40	142013 00	979 40	142013 00	
31	Plinth protection with bricks & 1:3:6 cc MR	437 25	Sqm	400 00	174900 00	222 65	97353 71	
32	Providing gola 75x75 mm in cc 1:2 4 MR	391 74	Rmt	100 00	39174 00	67 35	26383 69	
33	drawing & design with prefabricated steel appli..ation using quality material and are durable, reliable and corrosion and abrasion resistant. Welding shall confirm to la est	6264 00	Kgs	135 00	845640 00	74 70	467920.80	
34	Fire Collar	6 00	each	1688 00	10128 00	1688 00	10128 00	
		6 00	each	1894 00	11364 00	1894 00	11364 00	
		6 00	each	1832 00	10992 00	1832 00	10992 00	
35	Air inlet (Bottom ventila or) MR	2133 90	kgs	93 00	198452 70	42 50	90690 75	
36	Steel door (rate same as CWC)	225 00	kgs	178 90	40252 50	178 90	40252 50	
37	90 to 45 mm metal (kept same rate as CWC)	695 95	Cum	742.30	516603 69	742 30	516603 69	

	63 to 45 mm metal	523 40	Cum	768 45	402206 73	768 45	402206 73	
		243 40	Cum	892.25	217173 65	892 25	217173 65	
	Macrum	87 05	Cum	422.00	36735 10	421 85	36722.04	
38	tonnes power roller including filling in depression occuring during rolling including cost of all labour HOM of machinery complete as per specifications	6218 00	Sqm	4 15	25804 70	1 10	6839 80	
39	Laying wbm MR	1088 15	Cum	200 00	217630 00	192.55	209523.28	
40	bitumen(VG10) on granular base such as WBM including hot bitumen primed at 4 kg per 10 sqm heating bitumen in boiler fitted with spray set (excluding cleaning of road	283 05	Sqm	28 10	7953 71	58 60	16586 73	
41	50 mm thick 1:2 4	283 05	Sqm	246 65	69814.28	178 05	50397 05	
42	Min), pre- painted Galvalume steel roof sheet, coated with base Galvalume coating AZ 150, @ 150 gm/Sqmtr 55%AL-43%Zn) by hot dip process , of total coated thickness as	9450 00	Sqm	2100 00	19845000 00	1250 00	11812500 00	
43	foot..4, plain cement concrete pavement over a prepared sub base with 25mm and down size graded granite metal coarse aggregate with superplasticizer at 3lts	1243 60	Cum	6386 00	7941629 60	3692 20	4591619.92	
44	covering ends, and fixing collars with cement mortar 1:3 in leading out of all materials labour, curing complete as per specifications. Specifications. No KSRB 1000,	50 00	Rmt	2799 00	139950 00	338 75	16937.50	
45	Fencing MR	775.20	Rmt	168 60	130233 60	34 40	26666 88	
46	approved make 1060 mm width (1000 mm cover width), 28-30 mm crest height with crest distance of 200 mm c/c with 2 ribs at the centre for stiffening. The total coated	853 08	Sqm	770 00	656871 60	400 00	341232 00	
47	of approved quality to give an even shade including cost of materials, labour complete as per specifications with additional one coat	9510 62	Sqm	11 00	104616 82	9 30	88448 77	
48	Rain water Harvesting MR	3 00	Each	69790 00	209370.00	80000 00	240000 00	
					0 00		0 00	
					0.00		0.00	
					76457075 56		40669465 67	
				Diffrence	35787609 89			
				% diffrence	88 00			